Safety Data Sheet Hemway Chalk Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

Section 1

Substance / Mixture & Company Identification

1.1 Product identifier.

Hemway Chalk Paint

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Surface coating.

Application of the substance or mixture.

Surface coating.

1.3 Details of the supplier of the safety data sheet.

Hemway

Unit N1

Gildersome Spur

Industrial Estate

Leeds

LS27 7JZ

Further information obtainable from contact@hemway.com.

1.4 Emergency telephone number.

0113 350 8545

Section 2

Hazards Identification

2.1 Classification of the substance or mixture.

Classification according to Regulation (EC) No 1272/2008.

The product is not classified, according to the CLP regulation.

2.2 Label elements.

Labelling according to Regulation (EC) No 1272/2008.

Void.

Hazard pictograms.

Void.

Safety Data Sheet Hemway Chalk Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

Signal word.

Void.

Hazard statements.

Void.

Additional information.

Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2Hisothiazol-3-one [EC no. 220-239-6] (3:1), 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Safety data sheet available on request.

2.3 Other hazards.

Results of PBT and vPvB assessment.

PBT

Not applicable.

vPvB

Not applicable.

Section 3

Ingredients Composition / Information

3.2 Chemical characterisation: Mixtures.

Description.

Mixture of substances listed below with non-hazardous additions.

Dangerous components.		
CAS: 7727-43-7 EINECS: 231-784-4	Barium sulphate, natural	>1-≤2.5%
Reg. No: Exempt under ANNEX V Article 7	Substance with a community workplace exposure limit	

Additional information.

For the wording of the listed hazard phrases refer to Section 16.

Safety Data Sheet Hemway Chalk Paint

According to 1907/2006/EC, Article 31

Printed: 01/04/2021 Revised: 01/04/2021

Section 4
First Aid Measures

4.1 Description of first aid measures.

After inhalation.

Supply fresh air. Consult doctor in case of complaints.

After skin contact.

Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing.

After eye contact.

Rinse opened eye for several minutes under running water.

After swallowing.

Do not induce vomiting. Call for medical help immediately and show safety datasheet or label.

4.2 Most important symptoms and effects, both acute and delayed.

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed.

Treat symptomatically.

Section 5 Firefighting Measures

5.1 Extinguishing media.

Suitable extinguishing agents.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture.

No further relevant information available.

5.3 Advice for firefighters.

Protective equipment.

Put on breathing apparatus.

Safety Data Sheet Hemway Chalk Paint

According to 1907/2006/EC, Article 31

V1.0 Printed: 01/04/2021 Revised: 01/04/2021

Section 6

Accidental Release Measures

- 6.1 Personal precautions, protective equipment and emergency procedures.

 Not required.
- 6.2 Environmental precautions.

Dilute with plenty of water.

Do not allow to enter sewers / surface or ground water.

6.3 Methods and material for containment and cleaning up.

Absorb with liquid-binding material: sand, diatomite, acid binders, universal binders, sawdust.

6.4 Reference to other sections.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 Handling & Storage

7.1 Precautions for safe handling.

Keep receptacles tightly sealed.

Hygiene measures.

Wash hands before breaks and at the end of workday.

Information about fire and explosion protection.

No special measures required.

7.2 Conditions for safe storage, including any incompatibilities.

Requirements to be met by storerooms and receptacles.

No special requirements.

Information about storage in one common storage facility.

Not required.

Further information about storage conditions.

Keep receptacle tightly sealed and in a well-ventilated place.

Keep away from heat.

Safety Data Sheet Hemway Chalk Paint

According to 1907/2006/EC, Article 31

VI.0 Printed: 01/04/2021 Revised: 01/04/2021

7.3 Specific end use(s).

No further relevant information available.

Section 8

Exposure Controls & Personal Protection

8.1 Control parameters.

Additional information about design of technical facilities.

No further data. See Section 7.

Ingredients with limit values that require monitoring at the workplace.		
7727-43-7 ba	arium sulphate, natural	
WEL	Long-term value: 10 ¹ 4 ² mg/m ³ ¹ Inhalable dust ² Respirable dust	

Additional information.

The lists valid during the making were used as basis.

8.2 Exposure controls.

General protective and hygienic measures.

Wash hands before breaks and at the end of work.

Respiratory protection.

If spraying this product, an ABEK respirator to EN141 and EN405 is normally sufficient. If in doubt, consult a respirator manufacturer and show this safety data sheet.

Protection of hands.

Not required.

Eye protection.

Goggles recommended during refilling.

Safety Data Sheet Hemway Chalk Paint

Revised: 01/04/2021
According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021

Section 9 Physical & Chemical Properties

9.1 Information

General information		
Appearance Form Colour Odour Odour Odour threshold	Liquid According to product specification Characteristic Not determined	
pH-value at 20°C	8	
Change in condition Melting point and freezing point Initial boiling point and boiling range	Undetermined hemway	
Flash point	>100 °C	
Flammability (solid, gas)	Not applicable	
Ignition temperature	>370 °C	
Decomposition temperature	Not determined hemway	
Auto-ignition temperature	Product is not selfigniting	
Explosive properties	Product does not present an explosion hazard	
Explosion limits Lower Upper	Not determined Not determined	



Safety Data Sheet Hemway Chalk Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

Vapour pressure at 20°C	23 hPa
Density at 20°C Relative density Vapour density Evaporation rate	1.064 g/cm³ Not determined Not determined Not determined
Solubility in / Miscibility with water	Fully miscible
Partition coefficient: n-octanol / water	Not determined
Viscosity	
Dynamic at 20°C Kinematic	1,000 mPas Not determined hemway
Solvent content	
Organic solvents Water	0.8% 74.4%
Solids content	24.8%

9.2 Other information.

No further relevant information available.

Section 10 Stability & Reactivity

10.1 Reactivity.

No further relevant information available.

Safety Data Sheet Hemway Chalk Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

10.2 Chemical stability.

Thermal decomposition / conditions to be avoided.

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions.

No dangerous reactions known.

10.4 Conditions to avoid.

No further relevant information available.

10.5 Incompatible materials.

No further relevant information available.

10.6 Hazardous decomposition products.

No dangerous decomposition products when stored and handled correctly.

Section 11

Toxicological Information

11.1 Information on toxicological effects.

Acute toxicity.

Based on available data, the classification criteria are not met.

LD/LC50 value	s relevant for cla	ssification.		
7727-43-7 barium sulphate, natural				
Oral	LD50	>15,000 mg/kg (rat)		

Primary irritant effect.

Skin corrosion / irritation.

Based on available data, the classification criteria are not met.

Serious eye damage / irritation.

Based on available data, the classification criteria are not met.

Safety Data Sheet Hemway Chalk Paint

According to 1907/2006/EC, Article 31

V1.0 Printed: 01/04/2021 Revised: 01/04/2021

Respiratory or skin sensitisation.

Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction).

Germ cell mutagenicity.

Based on available data, the classification criteria are not met.

Carcinogenicity.

Based on available data, the classification criteria are not met.

Reproductive toxicity.

Based on available data, the classification criteria are not met.

STOT-single exposure.

Based on available data, the classification criteria are not met.

STOT-repeated exposure.

Based on available data, the classification criteria are not met.

Aspiration hazard.

Based on available data, the classification criteria are not met.

Section 12

Ecological Information

12.1 Toxicity.

Aquatic toxicity.

No further relevant information available.

12.2 Persistence and degradability.

No further relevant information available.

12.3 Bioaccumulative potential.

No further relevant information available.

12.4 Mobility in soil.

No further relevant information available.

12.5 General notes.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or

Safety Data Sheet Hemway Chalk Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

sewage system.

12.6 Results of PBT and vPvB assessment.

PBT

Not applicable.

vPvB

Not applicable.

12.7 Other adverse effects.

No further relevant information available.

Section 13

Disposal Considerations

13.1 Waste treatment methods.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

13.2 Uncleaned packaging.

Disposal must be made according to official regulations.

13.3 Recommended cleansing agents.

Water, if necessary together with cleansing agents.

Section 14

Transport Information

14.1 UN number.

ADR, IMDG, IATA.

Void.

14.2 UN proper shipping name.

ADR, IMDG, IATA.

Void.

Safety Data Sheet Hemway Chalk Paint

According to 1907/2006/EC, Article 31

V1.0 Printed: 01/04/2021 Revised: 01/04/2021

14.3 Transport hazard class(es).

ADR, ADN, IMDG, IATA.

Void.

14.4 Packing group

ADR, IMDG, IATA.

Void.

14.5 Environmental hazards.

Not applicable.

14.6 Special precautions for user.

Not applicable.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code.

Not applicable.

14.8 UN 'Model Regulation'.

Void.

Section 15

Regulatory Information

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture.

Directive 2012/18/EU: Named dangerous substances: Annex I.

None of the ingredients are listed.

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical

and electronic equipment: Annex II.

None of the ingredients are listed.



Safety Data Sheet Hemway Chalk Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

Technical instructions (air).			
Class	Share		
Wasser NK	74.4% 0.8%		

Waterhazard class.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety assessment.

A chemical safety assessment has not been carried out.

Section 16 Other Information

16.1 Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

16.3 Department issuing SDS.

Product safety department.

16.4 Abbreviations and acronyms.

ADR

Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG

International Maritime Code for Dangerous Goods.

ΙΑΤΑ

International Air Transport Association.

GHS

Globally Harmonised System of Classification and Labelling of Chemicals.

EINECS

European Inventory of Existing Commercial Chemical Substances.

Safety Data Sheet Hemway Chalk Paint

According to 1907/2006/EC, Article 31

v1.0 Printed: 01/04/2021 Revised: 01/04/2021

ELINCS

European List of Notified Chemical Substances.

CAS

Chemical Abstracts Service (division of the American Chemical Society).

LC50

Lethal concentration, 50 percent.

LD50

Lethal dose, 50 percent.

PBT

Persistent, Bioaccumulative and Toxic.

vPvB

very Persistent and very Bioaccumulative.

V1rtus Ltd T/A Hemway
Unit N1, Gildersome Spur Industrial Estate, Leeds, LS27 7JZ
Company No. 10505861 · VAT No. 264035520